

DRAFT

DRAFT

DRAFT

TOWN OF WATERFORD

Inland Wetlands & Watercourses Permit #C-22-03

30 Douglas Lane, Waterford, CT

The Waterford Conservation Commission, in their capacity as the Town's Inland Wetland Agency, hereby authorizes the applicant to conduct regulated activities in designated areas located at 30 Douglas Lane, Waterford, CT, which are subject to jurisdiction in accordance with CT General Statutes, Section 22a-36 through 22a-45, inclusive, as amended, and the Waterford Inland Wetlands and Watercourses regulations.

This permit is a grant of approval to conduct the following regulated activities:

- 1) Grading of land to construct a residential driveway and an on-site septic system within the 100 ft. Upland Review Area of inland wetlands and watercourses.

These regulated activities are associated with the proposed construction of a new residential home on property located at 30 Douglas Lane, Waterford, Connecticut. The proposed activities are shown on a plan entitled; "Site Plan Prepared For Albert Bove, 30 Douglas Lane, Map 61 Lot 2092, Waterford, Connecticut", dated January 12, 2021 revised thru 3-30-22, prepared by Indigo Land Design, LLC, Sheets 1-- 3.

The Conservation Commission authorizes the regulated activity with the following conditions of approval to minimize impacts associated with the proposed regulated activity and protect the inland wetlands and watercourses on this site:

SPECIAL CONDITIONS:

1. A vegetated berm shall be constructed and maintained between the driveway and adjacent stream corridor wetland at the northwestern end of the proposed driveway access and extend a minimum distance of 50 feet from the edge of roadway pavement.
2. The driveway shall be constructed and maintained a minimum distance of 20 feet from the wetland.
3. Run-off from the driveway surface shall be directed to crushed stone leak-offs established along the northern edge of the driveway to reduce concentrated run-off flows and potential erosion of the driveway surface materials.
4. The driveway apron shall be paved as indicated on the approved plan.

STANDARD CONDITIONS:

1. The Conservation Commission's agent shall be notified at least 48 hours prior to commencement of any regulated activity.
2. Final stabilization of disturbed soil areas, including all temporary and permanent soil disturbances, shall be stabilized with the application of loam, seed and appropriate erosion control measures.
3. At all times during site work and until soil areas are stabilized, the applicant shall install and maintain erosion and sediment control measures such as fabric filter fence, staked hay bales or other measures deemed necessary by the Commission's agent to prevent erosion and sedimentation impacts to wetlands and watercourses.
4. Erosion control and soil stabilization measures shall comply with the approved plans and the guidelines as established in the Connecticut Guidelines for Soil Erosion and Sediment Control, 2002, CTDEEP Bulletin 34.
5. Upon direction of the Commission's agent, erosion and sediment control measures shall be removed by the applicant following stabilization of the site.

All work and all regulated activities conducted pursuant to this authorization shall be consistent with the terms and conditions of this permit. Any structures, excavation, deposition of fill, obstructions of flow, encroachments or other regulated activities not specifically identified and authorized herein shall constitute a violation of this permit and may result in permit modification, suspension or revocation.

In the event that any additional wetland or watercourse regulated activities are required as a result of other agency permitting to support the proposed activity, the Waterford Conservation Commission reserves the right to reconsider the proposed regulated activity and may require modifications to minimize the impact to wetland resources.

In evaluating this application, the Commission has relied on information provided by the applicant. If such information subsequently proves to be false, incomplete and/or inaccurate, this permit may be modified, suspended or revoked.

This permit shall be valid for a period of 5 years. Permit extensions may be authorized in accordance with CT General Statutes § 22a-36 through 22a-45 inclusive. If the regulated activity is not completed within this time frame, the permit may be held to be invalid by the Conservation Commission or the applicant may be required to petition the Commission for an extension or re-issuance of the permit. The Commission may require the applicant to furnish additional information at that time.

The Conservation Commission renders this Summary Ruling in accordance with the Waterford Inland Wetlands and Watercourses Regulations based on the following considerations:

- A. The activity does not involve direct wetland impacts. Measures have been incorporated into the driveway design to control run-off and erosion impacts to the downgradient wetland and watercourse.
- B. Strict adherence to the terms and conditions of this inland wetland permit will protect the quality of inland wetlands and surface water on this property.

This permit will be strictly enforced. If the Conservation Commission finds that the applicant has not complied with the permit conditions or has exceeded the scope of this permit as set forth herein, or, if the intended use of the general site is not as represented by the application or the plan of record, the Commission may suspend or revoke this permit, direct the Environmental Officer to issue a cease and desist order, require the applicant to modify, extend or revise the site work, or require the applicant to restore the area to its original condition.

Dated: April 14, 2022

Issued By: _____
Chairman, Richard F. Muckle
Waterford Conservation Commission

Effective Date: _____